






Tag	Current	Minimum	Maximum	Average	Slides	Units
AUT-611 CCB INF Total C2 RES 2J	5.95	0.00	9.21	6.18	6.37	mg/L
AUT-610 CCB EFF C2 RES 2J-8	5.65	0.00	5.68	5.26	5.11	mg/L




Tag	Current	Minimum	Maximum	Average	Slider	Units
AI1-611 CCB INF Total C12 RES 2J	5.91	0.00	7.61	6.22	6.54	mg/L
AI1-610 CCB EFF C12 RES 2J-B	5.66	0.00	5.74	5.50	5.35	mg/L



Tag	Current	Minimum	Maximum	Average	Slider	Units
--- AIT-611 CCB INF Total C2 RES 2J	5.67	0.00	8.89	6.19	6.37	mg/L
AIT-610 CCB EFF C2 RES 2J-8	5.62	0.00	5.89	5.61	5.52	mg/L

01/14/15 00:00:00 Pause


01/15/15 00:00:00
10.00 mg/L



Tag	Current	Minimum	Maximum	Average	Slider	Units
AI1-611 CCB INF Total C12 RES 2J	5.68	0.00	9.87	5.24	5.51	mg/L
AI1-610 CCB EFF C12 RES 2J-B	5.61	0.00	5.71	5.20	5.44	mg/L

01/15/15 00:00:00 Pause

01/16/15 00:00:00
10.00 mg/L



01/15/15 11:59:05

Tag	Current	Minimum	Maximum	Average	Slider	Units
AIT-611 CCB INF Total C2 RES 2J	6.11	0.00	8.40	6.12	5.46	mg/L
AIT-610 CCB EFF C2 RES 2J B	5.62	0.00	6.14	5.20	4.95	mg/L